

KAPLAN & GILMAN, L.L.P. COUNSELORS AT LAW

900 ROUTE 9 NORTH
WOODBIDGE, NEW JERSEY 07095
TELEPHONE (732) 634-7634
FACSIMILE (732) 634-6887
WWW.KAPLANGILMAN.COM

MICHAEL R. GILMAN*

JEFFREY I. KAPLAN

TIMOTHY X. GIBSON

MATTHEW B. DERNIER

PATENT AGENT
LI ZHENG**

*ADMITTED NY & CT ONLY

**ADMITTED CHINA ONLY

FACSIMILE COVER SHEET

CONFIDENTIALITY NOTE: The information contained in this facsimile message is privileged and confidential, intended only for the use of the individual or entity named below. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copy of this telecopy is strictly prohibited. If you have received this telecopy in error, please immediately notify us by telephone and return the original message to us at the address listed above via the United States Postal Service. We will reimburse for postage on all such returned messages.

TO: Office of Initial Patent Examination's
Filing Receipt Corrections

COMPANY: U.S. Patent & Trademark Office

FAX NO.: 703-746-9195

FROM: Michael R. Gilman, Esq.

We are sending a communication of **2** page(s) (including this cover sheet). Please call (732) 634-7634 immediately if transmission is interrupted or of poor quality.

Our Ref.: 210/3

DATE: June 4, 2004

MESSAGE: **RE:** U.S. Patent Application No. 10/783,384 for:
**IMPROVED HIGH LIGHT DENSITY
FLUORESCENT LUMINAIRE**
Our Reference No. 210/3

Dear Sir or Madam:

Kindly issue a new Filing Receipt to include that the word "IMPROVED" in the title of the invention. See attached handwritten correction.

Thank you for your attention in this matter.

